


OFFICELINE 120-BLACK-30W-3CCT-DALI-SUSPENDU OPALE

BL06272005

INDOOR > Surface mounted and suspended fixtures

Suspended luminaire OFFICELINE black 3CCTdimmable DALI ideal for office lighting. Micro-prismatic opal diffuser



Application domain

- School
- Office
- Home Office
- Circulations areas



30 W

3900
lm

UGR
<19

IRC
>80

IP20

3 CCT

3000K / 4000K
5700K



Electric data

Total power (W)	30
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.95
Network frequencies	50Hz
Electric class	I
Dimmable	Yes



FILE UPDATED ON 25/04/2023

Power supply data

Max. lamp per B10A circuit breaker	8
Max. lamp per B16A circuit breaker	12
Max. lamp per C16A circuit breaker	16

Photometric data

Color temperatures	3000K / 4000K / 5700K
UGR	<19
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>3
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	3900lm (4000K)
ULOR	-



FILE UPDATED ON 25/04/2023



Technical data

Dimensions (mm)	1130 x 50 x 72
Weight (kg)	1.94
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Black
IK Code	IK06
Incandescent wire test	650°C
IP Code	IP20
Use temperature range	-
Body material	Aluminium
Diffuser material	-
Driver included	Yes


Supplementary data

Warranty period	5 years
Light beam spread	80°
Tiltable	No



FILE UPDATED ON 25/04/2023





FILE UPDATED ON 25/04/2023