

SURFACE

# SURFACE SQ 10W-3CCT-IP20-DIM-BLACK

BL05102003

**INDOOR** > Surface mounted and suspended fixtures

Light fixture, LED ceiling light easy to install. Adjustable 20-90 and 3 CCT! Dimmable, this luminaire gives perspective to your hallways, kitchens, bedrooms create a modern and friendly atmosphere



## Application domain

- Residential indoor
- Kitchen
- Bedroom
- Home Office
- House Corridor
- Circulations areas



9.5 W

800 lm

IRC  
>90

IP20

3 CCT

3000K / 4000K  
5000K

D



FILE UPDATED ON 22/03/2023

## Electric data

Total power (W)	9.5
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz
Electric class	I
Dimmable	Triac

## Photometric data

Color temperatures	3000K / 4000K / 5000K
Light source type	COB
Including the light source	Yes
SDCM	SDCM>5
IRC	>90
Safety group (EN62778)	RG1
Luminous flux (lm)	800lm (4000K)
ULOR	-



FILE UPDATED ON 22/03/2023



## Technical data

Dimensions (mm)	90 x 90 x 110
Weight (kg)	0.52
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Black
IK Code	IK06
Incandescent wire test	650°C
IP Code	IP20
Use temperature range	-25... +45°
Body material	Aluminium
Diffuser material	PC
Driver included	Yes
Recoverable	Non concerné

## Liefe time

L70 à 25°	50 000 h
-----------	----------


## Supplementary data

Warranty period	5 years
Light beam spread	60°
Tiltable	Yes (30°)
Connection type	Connector on the product
Linked products	<ul style="list-style-type: none"><li>BL05102004 - SURFACE RD 10W-3CCT-IP20-DIM-N</li></ul>



FILE UPDATED ON 22/03/2023





FILE UPDATED ON 22/03/2023