

LED FRAME

TF120-HIBAY DOB ECOPLUS-150W-4000K-IP54

BL111506504

INDOOR > Highbay

Economic Led industrial fixture

Application domain



- Industrial facilities
- Production areas, assembly plant
- Storage



150 W

13000
lm

IRC
>80

IP54

4000K

F

Electric data

Total power (W)	150
Rated voltage (V)	230V
Distorsion harmonique	<20%
Power factor	>0.9
Network frequencies	50Hz , 60Hz
Electric class	I
Dimmable	No



FILE UPDATED ON 21/11/2022

Power supply data

Max. lamp per B10A circuit breaker	10
Max. lamp per B16A circuit breaker	15
Max. lamp per C16A circuit breaker	20

Photometric data

Color temperatures	4000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>6
IRC	>80
Safety group (EN62778)	RG1
Luminous flux (lm)	13000lm (4000K)
ULOR	-



FILE UPDATED ON 21/11/2022



Technical data

Diameter (mm)	310
Height (mm)	107
Recessed diameter (mm)	-
Weight (kg)	2.46
Recessed depth under BA13 (mm)	-
Cable length	100 cm
Product color	Black
IK Code	IK08
Incandescent wire test	650°C
IP Code	IP54
Use temperature range	-20... +45°
Body material	Aluminium
Diffuser material	PC
Driver included	Yes

Liefe time

L70 à 25°	30 000 h
-----------	----------

Supplementary data

Warranty period	3 years
Light beam spread	90°
Tiltable	No
Connection type	Fil à connecter



FILE UPDATED ON 21/11/2022





FILE UPDATED ON 21/11/2022