

## 3ALL PROJECTOR

# RAFALE 3 ALL-15W-3CCT-IP20-WHITE-DIM

TR07152010

### INDOOR > Tracklights

Track-mounted LED spotlight with color temperature change. Aluminum body. Ideal for general or accent lighting. Naturally anti-glare. Adapt the temperature color to the desired atmosphere.



### Application domain

- Shop



15 W

1370  
lm

IRC  
>80

IP20

3 CCT

3000K / 4000K  
5000K



### Electric data

Total power (W)	15
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz , 60Hz
Electric class	I
Dimmable	Triac



FILE UPDATED ON 17/03/2023

## Photometric data

Color temperatures	3000K / 4000K / 5000K
Light source type	COB
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG1
Luminous flux (lm)	1370lm (4000K)
ULOR	-

## Technical data

Dimensions (mm)	156 x 70 x 70
Weight (kg)	0.68
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	White
IK Code	IK08
Incandescent wire test	650°C
IP Code	IP20
Use temperature range	-20... +40°
Body material	Aluminium
Diffuser material	PC
Driver included	Yes
Recoverable	Non concerné



FILE UPDATED ON 17/03/2023



## Liefe time

L70 à 25°	50 000 h
-----------	----------


## Supplementary data

Warranty period	3 years
Light beam spread	38°
Tiltable	Yes (350°)
Connection type	Adaptor 4 wires track light
Linked products	<ul style="list-style-type: none"><li>• TR07150002 - BURST CCT WHITE SHUTTER 15W</li></ul>




FILE UPDATED ON 17/03/2023






Atmosphere



Atmosphere



FILE UPDATED ON 17/03/2023

