

LED PORTHOLE

BILLY HUBL CCT-18W-IP54-3000K-4000K-5000K

TR12185401B

INDOOR > Indoor Bulkhead

INDOOR > Surface mounted and suspended fixtures

INDOOR > Wall light

Led porthole with color temperature change on the product and three finishes: white, matt black and chrome bezels included. 9 products in 1!
 Led porthole with color temperature change on the product and three finishes: white, matt black and chrome bezels included. 9 products in 1!



Application domain

- Bathroom
- Bedroom
- Home Office
- Home Cellar, House Technical Room
- Cloakrooms
- Washrooms



18 W

1500
lm

IRC
>82

IP54

3 CCT

3000K / 4000K
5000K

F



FILE UPDATED ON 21/04/2023

Electric data

Total power (W)	18
Rated voltage (V)	230V
Distorsion harmonique	<20%
Power factor	>0.9
Network frequencies	50Hz
Electric class	II
Dimmable	No

Power supply data

Max. lamp per B10A circuit breaker	15
Max. lamp per B16A circuit breaker	20
Max. lamp per C16A circuit breaker	30

Photometric data

Color temperatures	3000K / 4000K / 5000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>82
Safety group (EN62778)	RG0
Luminous flux (lm)	1500lm (4000K)
ULOR	-



FILE UPDATED ON 21/04/2023



Technical data

Diameter (mm)	280
Height (mm)	42
Recessed diameter (mm)	-
Weight (kg)	0.79
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	White
IK Code	IK08
Incandescent wire test	650°C
IP Code	IP54
Use temperature range	-20... +40°
Body material	PC
Diffuser material	PS
Driver included	Yes
Recoverable	Non concerné

Liefe time

L70 à 25°	35 000 h
-----------	----------

Supplementary data

Warranty period	3 years
Light beam spread	120°
Tiltable	No
Connection type	Bornier avec repiquage



FILE UPDATED ON 21/04/2023





FILE UPDATED ON 21/04/2023

