

# TF141-ETANCHE TECH-150-55W-4000K-IP66-8000lm-TRAV

BL11636502

**INDOOR** > Triproof

Led waterproof strip, removable plate, 5-year warranty, Osram power supply, tool-free quick connector, through and 850°



## Application domain

- Industrial facilities
- Parkings lots and underground passages
- Garages
- Production areas, assembly plant
- Storage



FILE UPDATED ON 14/03/2023

## Electric data

Total power (W)	55
Rated voltage (V)	230V
Distorsion harmonique	<17%
Power factor	>0.9
Network frequencies	50Hz
Electric class	I
Dimmable	No

## Power supply data

Max. lamp per B10A circuit breaker	10
Max. lamp per B16A circuit breaker	15
Max. lamp per C16A circuit breaker	20

## Photometric data

Color temperatures	4000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	7940lm (4000K)
ULOR	-



FILE UPDATED ON 14/03/2023



## Technical data

Dimensions (mm)	1500 x 60 x 90
Weight (kg)	1.84
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Grey
IK Code	IK10
Incandescent wire test	850°C
IP Code	IP66
Use temperature range	-20... +50°
Body material	PC
Diffuser material	PC
Driver included	Yes

## Liefe time

L80 à 25°	50 000 h
-----------	----------



## Supplementary data

Warranty period	5 years
Light beam spread	115°
Tiltable	Yes
Connection type	Connecteur rapide avec repiquage



FILE UPDATED ON 14/03/2023





FILE UPDATED ON 14/03/2023