



export price list

valid from: **august 2023**



Index

ELEKTRA MD Heating Mats	5
ELEKTRA MG Heating Mats	6
ELEKTRA WoodTec™ Heating Foils	7
ELEKTRA SnowTec® Heating Mats	8
ELEKTRA SnowTec® _{Tuff} Heating Mats	9
ELEKTRA UltraTec Heating Cables	10
ELEKTRA DM Heating Cables	11
ELEKTRA VCD Heating Cables	12
ELEKTRA VC Heating Cables	17
ELEKTRA TuffTec™ Heating Cables	20
ELEKTRA VCDR Heating Cables	21
ELEKTRA FreezeTec® Heating Cables	22
ELEKTRA BET Heating Cables	22
ELEKTRA SelfTec® Heating Cables	23
ELEKTRA Installation Accessories	25
ELEKTRA MMV Portable Heating Mats	26
ELEKTRA MMR Portable Heating Mats	26
ELEKTRA MMT Portable Heating Sleeves	26
ELEKTRA Towel Dryers	27
ELEKTRA Temperature Controllers	28

ELEKTRA MD Heating Mats

Twin-conductor. Single-side power supply.



type	dimensions [m x m]	area [m ²]	power [W]	price [SEK]	EAN
------	--------------------	------------------------	-----------	-------------	-----

100 W/m²

MD 100/1.0	0.5 x 2.0	1.0	100	822,00	5908310931418
MD 100/1.5	0.5 x 3.0	1.5	150	975,60	5908310931425
MD 100/2.0	0.5 x 4.0	2.0	200	1 260,00	5908310931432
MD 100/2.5	0.5 x 5.0	2.5	250	1 444,80	5908310931449
MD 100/3.0	0.5 x 6.0	3.0	300	1 590,00	5908310931456
MD 100/3.5	0.5 x 7.0	3.5	350	1 704,00	5908310931463
MD 100/4.0	0.5 x 8.0	4.0	400	1 916,40	5908310931470
MD 100/4.5	0.5 x 9.0	4.5	450	2 106,00	5908310931487
MD 100/5.0	0.5 x 10.0	5.0	500	2 290,80	5908310931494
MD 100/6.0	0.5 x 12.0	6.0	600	2 460,00	5908310931500
MD 100/8.0	0.5 x 16.0	8.0	800	2 562,00	5908310931593
MD 100/10.0	0.5 x 20.0	10.0	1000	3 040,80	5908310931609
MD 100/12.0	0.5 x 24.0	12.0	1200	3 440,40	5908310931098



160 W/m²

MD 160/0.5	0.5 x 1.0	0.5	80	780,00	5908310931197
MD 160/1.0	0.5 x 2.0	1.0	160	895,20	5908310931517
MD 160/1.5	0.5 x 3.0	1.5	240	1 114,80	5908310931524
MD 160/2.0	0.5 x 4.0	2.0	320	1 394,40	5908310931531
MD 160/2.5	0.5 x 5.0	2.5	400	1 592,40	5908310931548
MD 160/3.0	0.5 x 6.0	3.0	480	1 840,80	5908310931555
MD 160/3.5	0.5 x 7.0	3.5	560	2 016,00	5908310931562
MD 160/4.0	0.5 x 8.0	4.0	640	2 251,20	5908310931579
MD 160/5.0	0.5 x 10.0	5.0	800	2 482,80	5908310931616
MD 160/6.0	0.5 x 12.0	6.0	960	2 748,00	5908310931623
MD 160/7.0	0.5 x 14.0	7.0	1120	3 394,80	5908310931630
MD 160/8.0	0.5 x 16.0	8.0	1280	3 618,00	5908310931647
MD 160/9.0	0.5 x 18.0	9.0	1440	3 957,60	5908310931876
MD 160/10.0	0.5 x 20.0	10.0	1600	4 242,00	5908310931104

ELEKTRA MG Heating Mats

Single-conductor. Double-side power supply.



type	dimensions [m x m]	area [m ²]	power [W]	price [SEK]	EAN
------	--------------------	------------------------	-----------	-------------	-----

100 W/m²

MG 100/3.0	0.5 x 6.0	3.0	300	1 229,16 *	5908310931241
MG 100/3.5	0.5 x 7.0	3.5	350	1 294,08 *	5908310931258
MG 100/4.5	0.5 x 9.0	4.5	450	1 618,32 *	5908310931265
MG 100/9.0	0.5 x 18.0	9.0	900	2 267,04 *	5908310931302

160 W/m²



MG 160/1.0	0.5 x 2.0	1.0	160	714,96 *	5908310931319
MG 160/1.5	0.5 x 3.0	1.5	240	881,88 *	5908310931326
MG 160/2.0	0.5 x 4.0	2.0	320	1 099,08 *	5908310931333
MG 160/2.5	0.5 x 5.0	2.5	400	1 249,32 *	5908310931340
MG 160/3.0	0.5 x 6.0	3.0	480	1 466,52 *	5908310931357
MG 160/3.5	0.5 x 7.0	3.5	560	1 600,08 *	5908310931364
MG 160/4.0	0.5 x 8.0	4.0	640	1 783,80 *	5908310931371
MG 160/5.0	0.5 x 10.0	5.0	800	2 101,20 *	5908310931388
MG 160/6.0	0.5 x 12.0	6.0	960	2 335,08 *	5908310931395
MG 160/7.0	0.5 x 14.0	7.0	1120	2 368,44 *	5908310931401
MG 160/8.0	0.5 x 16.0	8.0	1280	2 669,16 *	5908310931678
MG 160/9.0	0.5 x 18.0	9.0	1440	2 886,24 *	5908310931685
MG 160/10.0	0.5 x 20.0	10.0	1600	3 136,68 *	5908310931692



ELEKTRA WoodTec™ Heating Foils

Under-laminate heating solution.

type	dimensions [m x m]	area [m ²]	power [W]	price [SEK]	EAN
------	--------------------	------------------------	-----------	-------------	-----

WoodTec₁™ Single-conductor. Double-side power supply. **60W/m²**.



WoodTec ₁ ™ 60/2.0	0.5 x 4.0	2.0	120	907,68 *	5908310939506
WoodTec ₁ ™ 60/3.0	0.5 x 6.0	3.0	180	1 150,44 *	5908310939513
WoodTec ₁ ™ 60/4.0	0.5 x 8.0	4.0	240	1 362,96 *	5908310939520
WoodTec ₁ ™ 60/10.0	0.5 x 20.0	10.0	600	2 486,64 *	5908310939551

WoodTec₂™ Twin-conductor. Single-side power supply. **70W/m²**.



WoodTec ₂ ™ 70/2.0	0.5 x 4.0	2.0	140	1 144,80	5908310939605
WoodTec ₂ ™ 70/3.0	0.5 x 6.0	3.0	210	1 443,60	5908310939612
WoodTec ₂ ™ 70/4.0	0.5 x 8.0	4.0	280	1 743,60	5908310939629
WoodTec ₂ ™ 70/6.0	0.5 x 12.0	6.0	420	2 208,00	5908310939636
WoodTec ₂ ™ 70/8.0	0.5 x 16.0	8.0	560	2 653,20	5908310939643
WoodTec ₂ ™ 70/11.0	0.5 x 22.0	11.0	770	3 404,40	5908310939650
WoodTec ₂ ™ 70/13.0	0.5 x 26.0	13.0	910	3 975,60	5908310939667

WoodTec₂™ Twin-conductor. Single-side power supply. **140W/m²**.



WoodTec ₂ ™ 140/3.0	0.5 x 6.0	3.0	420	1 682,40	5908310939384
WoodTec ₂ ™ 140/4.0	0.5 x 8.0	4.0	560	1 960,80	5908310939391
WoodTec ₂ ™ 140/5.0	0.5 x 10.0	5.0	700	2 247,60	5908310939407
WoodTec ₂ ™ 140/6.0	0.5 x 12.0	6.0	840	2 526,00	5908310939414
WoodTec ₂ ™ 140/8.0	0.5 x 16.0	8.0	1120	3 046,80	5908310939421
WoodTec ₂ ™ 140/10.0	0.5 x 20.0	10.0	1400	3 816,00	5908310939438

ELEKTRA SnowTec® Heating Mats

Outdoor applications.



type	dimensions [m x m]	area [m ²]	power [W]	price [SEK]	EAN
300 W/m² 230 V					
SnowTec®300/2	2.0 x 0.6	1.2	400	722,40	5908310937007
SnowTec®300/3	3.0 x 0.6	1.8	520	849,60	5908310937014
SnowTec®300/4	4.0 x 0.6	2.4	670	1 000,80	5908310937021
SnowTec®300/5	5.0 x 0.6	3.0	930	1 257,60	5908310937038
SnowTec®300/7	7.0 x 0.6	4.2	1140	1 348,80	5908310937045
SnowTec®300/10	10.0 x 0.6	6.0	1860	2 258,40	5908310937052
SnowTec®300/13	13.0 x 0.6	7.8	2560	2 768,40	5908310937069
SnowTec®300/16	16.0 x 0.6	9.6	2890	3 111,60	5908310937076
SnowTec®300/21	21.0 x 0.6	12.6	3730	3 842,40	5908310937083



SnowTec®300/3.1/0.4	3.1 x 0.4	1.2	370	720,00	5906726705951
SnowTec®300/4.3/0.4	4.3 x 0.4	1.7	520	853,20	5906726705968
SnowTec®300/5.0/0.4	5.0 x 0.4	2.0	590	903,60	5906726705975
SnowTec®300/7.7/0.4	7.7 x 0.4	3.1	930	1 255,20	5906726705982
SnowTec®300/9.6/0.4	9.6 x 0.4	3.8	1150	1 368,00	5906726705999
SnowTec®300/12.5/0.4	12.5 x 0.4	5.0	1500	1 755,60	5906726706002
SnowTec®300/15.0/0.4	15.0 x 0.4	6.0	1830	2 254,80	5906726706019
SnowTec®300/16.5/0.4	16.5 x 0.4	6.6	2000	2 332,80	5906726706026
SnowTec®300/20.0/0.4	20.0 x 0.4	8.0	2360	2 766,00	5906726706033
SnowTec®300/24.0/0.4	24.0 x 0.4	9.6	2840	3 090,00	5906726706040



300 W/m² 400 V					
SnowTec®300/2 400V	2.0 x 0.6	1.2	400	831,60	5906726701533
SnowTec®300/3 400V	3.0 x 0.6	1.8	600	970,80	5906726701540
SnowTec®300/4 400V	4.0 x 0.6	2.4	820	1 155,60	5906726701557
SnowTec®300/5 400V	5.0 x 0.6	3.0	950	1 453,20	5906726701564
SnowTec®300/7 400V	7.0 x 0.6	4.2	1360	1 536,00	5906726701571
SnowTec®300/9 400V	9.0 x 0.6	5.4	1680	2 472,00	5906726701588
SnowTec®300/11 400V	11.0 x 0.6	6.6	2100	2 703,60	5906726701595
SnowTec®300/13 400V	13.0 x 0.6	7.8	2360	3 055,20	5906726701601
SnowTec®300/15 400V	15.0 x 0.6	9.0	2650	3 536,40	5906726701618
SnowTec®300/20 400V	20.0 x 0.6	12.0	3550	4 149,60	5906726701625
SnowTec®300/25 400V	25.0 x 0.6	15.0	4600	5 344,80	5906726701632

ELEKTRA SnowTec®_{Tuff} Heating Mats

Outdoor applications.



type	dimensions [m x m]	area [m ²]	power [W]	price [SEK]	EAN
------	--------------------	------------------------	-----------	-------------	-----

400 W/m² 230 V

SnowTec® _{Tuff} 400/1.5	0.6 x 1.5	0.9	310	751,20	5906726703469
SnowTec® _{Tuff} 400/3.0	0.6 x 3.0	1.8	730	1 126,80	5906726703476
SnowTec® _{Tuff} 400/4.5	0.6 x 4.5	2.7	1100	1 536,00	5906726705203
SnowTec® _{Tuff} 400/6.0	0.6 x 6.0	3.6	1350	1 728,00	5906726703483
SnowTec® _{Tuff} 400/7.5	0.6 x 7.5	4.5	1800	2 160,00	5906726705210
SnowTec® _{Tuff} 400/9.0	0.6 x 9.0	5.4	2150	2 602,80	5906726703490
SnowTec® _{Tuff} 400/10.0	0.6 x 10.0	6.0	2350	2 788,80	5906726705227
SnowTec® _{Tuff} 400/12.0	0.6 x 12.0	7.2	2800	3 177,60	5906726703506
SnowTec® _{Tuff} 400/14.0	0.6 x 14.0	8.4	3400	3 367,20	5906726703513
SnowTec® _{Tuff} 400/16.0	0.6 x 16.0	9.6	3650	4 107,60	5906726703520
SnowTec® _{Tuff} 400/18.0	0.6 x 18.0	10.8	4400	4 335,60	5906726703537



400 W/m² 400 V

SnowTec® _{Tuff} 400/2.5 400V	0.6 x 2.5	1.5	560	1 089,60	5906726703575
SnowTec® _{Tuff} 400/5.0 400V	0.6 x 5.0	3.0	1260	1 687,20	5906726703582
SnowTec® _{Tuff} 400/8.0 400V	0.6 x 8.0	4.8	1940	2 469,60	5906726705234
SnowTec® _{Tuff} 400/10.0 400V	0.6 x 10.0	6.0	2350	2 998,80	5906726703599
SnowTec® _{Tuff} 400/13.0 400V	0.6 x 13.0	7.8	3100	3 697,20	5906726705241
SnowTec® _{Tuff} 400/15.0 400V	0.6 x 15.0	9.0	3870	4 381,20	5906726703605
SnowTec® _{Tuff} 400/17.0 400V	0.6 x 17.0	10.2	4150	5 137,20	5906726705258
SnowTec® _{Tuff} 400/20.0 400V	0.6 x 20.0	12.0	4910	5 770,80	5906726703612
SnowTec® _{Tuff} 400/22.0 400V	0.6 x 22.0	13.2	5310	6 180,00	5906726705265
SnowTec® _{Tuff} 400/25.0 400V	0.6 x 25.0	15.0	5800	6 307,20	5906726703629
SnowTec® _{Tuff} 400/27.0 400V	0.6 x 27.0	16.2	6480	7 239,60	5906726703636

ELEKTRA UltraTec Heating Cables

Twin-conductor. Single-side power supply. Ultra-thin.



type	length [m]	power [W]	price [SEK]	EAN
10 W/m				
UltraTec 10/90	8.5	90	511,20	5906726701106
UltraTec 10/135	13.5	135	622,80	5906726701113
UltraTec 10/145	15.0	145	649,20	5906726701120
UltraTec 10/220	22.5	220	792,00	5906726701137
UltraTec 10/285	28.5	285	900,00	5906726701144
UltraTec 10/320	32.0	320	976,80	5906726701151
UltraTec 10/400	40.0	400	1 124,40	5906726701168
UltraTec 10/450	45.0	450	1 249,20	5906726701175
UltraTec 10/555	55.0	555	1 444,80	5906726701182
UltraTec 10/690	70.0	690	1 681,20	5906726701199
UltraTec 10/780	78.0	780	1 857,60	5906726701205
UltraTec 10/980	98.0	980	2 199,60	5906726701212
UltraTec 10/1100	110.0	1100	2 490,00	5906726701229
UltraTec 10/1320	132.0	1320	2 860,80	5906726701236
UltraTec 10/1650	165.0	1650	3 800,40	5906726701243
UltraTec 10/2050	203.0	2050	5 017,20	5906726701250



ELEKTRA DM Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
10 W/m				
DM 10/90	8.5	90	481,20	5908310930800
DM 10/135	13.5	135	560,40	5908310930817
DM 10/145	15.0	145	588,00	5908310930824
DM 10/220	22.5	220	680,40	5908310930831
DM 10/285	28.5	285	759,60	5908310930848
DM 10/320	32.0	320	835,20	5908310930855
DM 10/400	40.0	400	919,20	5908310930862
DM 10/450	45.0	450	1 016,40	5908310930879
DM 10/555	55.0	555	1 152,00	5908310930886
DM 10/690	70.0	690	1 338,00	5908310930893
DM 10/780	78.0	780	1 510,80	5908310930909
DM 10/980	98.0	980	1 858,80	5908310930916
DM 10/1100	110.0	1100	2 151,60	5908310930923
DM 10/1320	132.0	1320	2 528,40	5908310930930
DM 10/1650	165.0	1650	3 096,00	5908310930947
DM 10/2050	203.0	2050	3 762,00	5908310930954

ELEKTRA VCD Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
7 W/m				
VCD 7/75	11.0	75	543,62 *	5906726707467
VCD 7/115	16.0	115	575,93 *	5906726707474
VCD 7/140	20.0	140	608,96 *	5906726707481
VCD 7/195	28.0	195	744,52 *	5906726707498
VCD 7/265	38.0	265	1 049,38 *	5906726707504
VCD 7/305	44.0	305	1 162,43 *	5906726707511
VCD 7/350	50.0	350	1 352,79 *	5906726707528
VCD 7/475	68.0	475	1 778,19 *	5906726707535
VCD 7/590	84.0	590	1 924,95 *	5906726707542
VCD 7/770	109.0	770	2 460,13 *	5906726707559
VCD 7/925	132.0	925	2 971,54 *	5906726707566
VCD 7/1020	145.0	1020	3 198,92 *	5906726707573
VCD 7/1210	173.0	1210	3 394,42 *	5906726707580
VCD 7/1320	186.0	1320	3 714,67 *	5906726707597
VCD 7/1460	208.0	1460	4 263,77 *	5906726707603
VCD 7/1610	228.0	1610	4 494,72 *	5906726707610
VCD 7/1700	243.0	1700	4 851,92 *	5906726707627



ELEKTRA VCD Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
10 W/m				
VCD 10/70	7.5	70	480,90	5908310935218
VCD 10/90	9.0	90	504,17	5908310935225
VCD 10/110	11.0	110	525,49	5908310935232
VCD 10/135	13.5	135	530,72	5908310935249
VCD 10/170	16.5	170	557,94	5908310935256
VCD 10/200	20.0	200	591,78	5908310935263
VCD 10/235	23.5	235	653,82	5908310931890
VCD 10/265	27.0	265	683,79	5908310931906
VCD 10/315	32.0	315	812,71	5908310931913
VCD 10/370	36.5	370	848,23	5908310931920
VCD 10/415	42.0	415	1 000,63	5908310931937
VCD 10/460	46.0	460	1 144,32	5908310931944
VCD 10/570	57.0	570	1 281,44	5908310935331
VCD 10/700	70.0	700	1 475,31	5908310931951
VCD 10/910	92.0	910	1 886,96	5908310935355
VCD 10/1100	111.0	1100	2 274,75	5908310935362
VCD 10/1220	122.0	1220	2 317,16	5908310935379
VCD 10/1450	144.0	1450	2 822,53	5908310931968
VCD 10/1560	156.0	1560	3 163,23	5908310935393
VCD 10/1740	174.0	1740	3 209,68	5908310935409
VCD 10/1920	191.0	1920	3 485,20	5908310935416
VCD 10/2030	203.0	2030	3 979,65	5908310935423
VCD 10/2260	225.0	2260	4 328,22	5908310935430



ELEKTRA VCD Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
17 W/m				
VCD 17/100	5.5	100	480,28	5908310935515
VCD 17/140	8.5	140	525,76	5908310935522
VCD 17/180	10.0	180	561,12	5908310935539
VCD 17/215	13.0	215	592,38	5908310935546
VCD 17/260	15.5	260	608,33	5908310935553
VCD 17/305	18.0	305	624,85	5908310935560
VCD 17/350	20.5	350	664,14	5908310935577
VCD 17/410	24.5	410	755,24	5908310935584
VCD 17/480	28.0	480	831,98	5908310931975
VCD 17/545	32.0	545	865,08	5908310931982
VCD 17/610	35.0	610	969,73	5908310931999
VCD 17/745	43.0	745	1 095,88	5908310935621
VCD 17/910	54.0	910	1 245,11	5908310935638
VCD 17/1200	70.0	1200	1 716,10	5908310935645
VCD 17/1430	85.0	1430	1 983,77	5908310935652
VCD 17/1590	93.0	1590	2 050,44	5908310935669
VCD 17/1900	110.0	1900	2 314,35	5908310932002
VCD 17/2030	120.0	2030	2 594,69	5908310935683
VCD 17/2280	133.0	2280	2 728,63	5908310935690
VCD 17/2490	147.0	2490	2 893,45	5908310935706
VCD 17/2660	155.0	2660	3 355,27	5908310935713
VCD 17/2950	172.0	2950	3 668,83	5908310935720



ELEKTRA VCD Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
25 W/m 230 V				
VCD 25/120	4.5	120	356,82	5908310935812
VCD 25/170	7.0	170	521,41	5908310935829
VCD 25/265	10.5	265	570,41	5908310935836
VCD 25/320	12.5	320	587,08	5908310935843
VCD 25/365	15.0	365	603,75	5908310935850
VCD 25/420	17.0	420	626,24	5908310935867
VCD 25/505	20.0	505	689,21	5908310932057
VCD 25/585	23.0	585	733,47	5908310932064
VCD 25/655	26.5	655	827,47	5908310932071
VCD 25/725	29.5	725	883,02	5908310935904
VCD 25/890	36.0	890	1 015,41	5908310935911
VCD 25/1120	44.0	1120	1 144,14	5908310935928
VCD 25/1450	58.0	1450	1 509,70	5908310935935
VCD 25/1740	70.0	1740	1 819,36	5908310935942
VCD 25/1910	77.0	1910	1 968,92	5908310935959
VCD 25/2270	92.0	2270	2 254,36	5908310932088
VCD 25/2480	98.0	2480	2 342,72	5908310935973
VCD 25/2730	110.0	2730	2 424,91	5908310935980
VCD 25/3030	120.0	3030	2 781,56	5908310935997
VCD 25/3300	130.0	3300	3 205,27	5908310936000
VCD 25/3550	142.0	3550	3 346,35	5908310936017

ELEKTRA VCD Heating Cables

Twin-conductor. Single-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
25 W/m 400 V				
VCD 25/200 400V	8.0	200	573,48	5906726701700
VCD 25/300 400V	12.0	300	638,96	5906726701717
VCD 25/470 400V	18.0	470	734,97	5906726701724
VCD 25/550 400V	22.0	550	792,73	5906726701731
VCD 25/635 400V	26.0	635	899,66	5906726701748
VCD 25/720 400V	30.0	720	978,94	5906726701755
VCD 25/870 400V	35.0	870	1 091,08	5906726701762
VCD 25/1020 400V	40.0	1020	1 160,05	5906726701779
VCD 25/1170 400V	45.0	1170	1 239,46	5906726701786
VCD 25/1280 400V	50.0	1280	1 397,29	5906726701793
VCD 25/1570 400V	62.0	1570	1 622,58	5906726701809
VCD 25/1930 400V	77.0	1930	2 134,51	5906726701816
VCD 25/2530 400V	100.0	2530	2 511,17	5906726701823
VCD 25/3070 400V	120.0	3070	2 996,69	5906726701830
VCD 25/3350 400V	135.0	3350	3 196,68	5906726701847
VCD 25/3970 400V	160.0	3970	3 697,51	5906726701854
VCD 25/4280 400V	172.0	4280	3 785,40	5906726701861
VCD 25/4820 400V	190.0	4820	4 143,36	5906726701878
VCD 25/5260 400V	210.0	5260	4 548,78	5906726701885
VCD 25/5600 400V	225.0	5600	5 115,01	5906726701892
VCD 25/6150 400V	250.0	6150	5 540,90	5906726701908

ELEKTRA VC Heating Cables

Single-conductor. Double-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
10 W/m				
VC 10/80	7.5	80	309,60 *	5908310936116
VC 10/105	10.0	105	338,40 *	5908310936123
VC 10/130	13.0	130	376,80 *	5908310936130
VC 10/155	15.5	155	415,20 *	5908310936147
VC 10/190	19.5	190	434,40 *	5908310936154
VC 10/240	23.5	240	471,60 *	5908310936161
VC 10/285	28.5	285	515,64 *	5908310932095
VC 10/330	33.0	330	571,20 *	5908310932255
VC 10/375	38.0	375	645,36 *	5908310932262
VC 10/450	45.0	450	738,00 *	5908310936208
VC 10/515	52.0	515	823,80 *	5908310932279
VC 10/590	59.0	590	920,40 *	5908310932286
VC 10/655	65.0	655	1 017,60 *	5908310932293
VC 10/805	80.0	805	1 196,76 *	5908310932309
VC 10/990	100.0	990	1 569,72 *	5908310932354
VC 10/1290	130.0	1290	1 748,16 *	5908310932361
VC 10/1720	172.0	1720	2 412,96 *	5908310932385
VC 10/2040	205.0	2040	2 948,16 *	5908310932392
VC 10/2210	220.0	2210	2 996,76 *	5908310936307
VC 10/2460	246.0	2460	3 337,32 *	5908310936314
VC 10/2710	270.0	2710	3 661,68 *	5908310936321
VC 10/2850	290.0	2850	4 002,12 *	5908310936338
VC 10/3170	320.0	3170	4 329,72 *	5908310936345

* while stocks last

august 2023



ELEKTRA VC Heating Cables

Single-conductor. Double-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
15 W/m				
VC 15/90	6.5	90	297,60 *	5908310936413
VC 15/125	8.5	125	321,60 *	5908310936420
VC 15/160	10.5	160	346,80 *	5908310936437
VC 15/190	12.5	190	364,80 *	5908310936444
VC 15/230	15.5	230	386,40 *	5908310936451
VC 15/285	19.5	285	428,40 *	5908310932552
VC 15/350	23.0	350	472,80 *	5908310932569
VC 15/405	27.0	405	519,60 *	5908310932576
VC 15/460	31.0	460	559,20 *	5908310932583
VC 15/545	37.0	545	650,40 *	5908310936505
VC 15/640	42.0	640	716,76 *	5908310932590
VC 15/725	48.0	725	795,60 *	5908310932606
VC 15/800	53.0	800	868,80 *	5908310932651
VC 15/985	65.0	985	1 060,56 *	5908310932668
VC 15/1230	80.0	1230	1 255,08 *	5908310932675
VC 15/1590	105.0	1590	1 456,20 *	5908310932682
VC 15/2100	140.0	2100	2 017,32 *	5908310932859
VC 15/2500	167.0	2500	2 438,88 *	5908310932866
VC 15/2700	180.0	2700	2 568,60 *	5908310936604
VC 15/3030	200.0	3030	2 854,08 *	5908310936611
VC 15/3320	220.0	3320	3 139,44 *	5908310936628
VC 15/3510	235.0	3510	3 424,92 *	5908310936635
VC 15/3900	260.0	3900	3 710,28 *	5908310936642

ELEKTRA VC Heating Cables

Single-conductor. Double-side power supply.



type	length [m]	power [W]	price [SEK]	EAN
20 W/m				
VC 20/110	5.5	110	291,60 *	5908310936710
VC 20/140	7.5	140	314,40 *	5908310936727
VC 20/185	9.0	185	331,20 *	5908310936734
VC 20/215	11.0	215	349,20 *	5908310936741
VC 20/265	13.5	265	369,60 *	5908310936758
VC 20/330	17.0	330	402,00 *	5908310936765
VC 20/400	20.0	400	440,40 *	5908310932873
VC 20/465	23.5	465	478,80 *	5908310932880
VC 20/530	27.0	530	523,20 *	5908310932897
VC 20/630	32.0	630	590,40 *	5908310936802
VC 20/730	37.0	730	651,84 *	5908310932903
VC 20/830	42.0	830	727,20 *	5908310932910
VC 20/930	46.0	930	788,40 *	5908310932927
VC 20/1130	57.0	1130	947,04 *	5908310932934
VC 20/1410	70.0	1410	1 138,32 *	5908310932941
VC 20/1820	92.0	1820	1 355,64 *	5908310932958
VC 20/2460	120.0	2460	1 916,76 *	5908310932972
VC 20/2880	145.0	2880	2 328,60 *	5908310932989
VC 20/3140	155.0	3140	2 425,92 *	5908310936901
VC 20/3440	175.0	3440	2 691,84 *	5908310936918
VC 20/3830	190.0	3830	2 957,88 *	5908310936925
VC 20/4130	207.0	4130	3 220,56 *	5908310936932
VC 20/4480	225.0	4480	3 499,44 *	5908310936949

ELEKTRA TuffTec™ Heating Cables

Twin-conductor. Single-side power supply. UV-resistant.



type	length [m]	power [W]	price [SEK]	EAN
------	------------	-----------	-------------	-----

30 W/m 230 V

TuffTec 30/290	9.5	290	718,80	5906726703254
TuffTec 30/465	15.5	465	967,20	5906726703919
TuffTec 30/640	21.0	640	1 108,80	5906726703261
TuffTec 30/980	33.0	980	1 531,20	5906726703247
TuffTec 30/1230	40.0	1230	1 665,60	5906726703278
TuffTec 30/1580	53.0	1580	2 145,60	5906726703339
TuffTec 30/1920	64.0	1920	2 626,80	5906726703285
TuffTec 30/2110	70.0	2110	2 866,80	5906726703346
TuffTec 30/2520	83.0	2520	3 145,20	5906726703292
TuffTec 30/2710	90.0	2710	3 235,20	5906726703353
TuffTec 30/3030	100.0	3030	3 408,00	5906726703308
TuffTec 30/3320	110.0	3320	3 926,40	5906726703315
TuffTec 30/3650	122.0	3650	4 219,20	5906726703926
TuffTec 30/3900	130.0	3900	4 299,60	5906726703322
TuffTec 30/4260	142.0	4260	5 079,60	5906726703933



30 W/m 400 V

TuffTec 30/500 400V	17.0	500	1 083,60	5906726703360
TuffTec 30/1100 400V	37.0	1100	1 716,00	5906726703377
TuffTec 30/1710 400V	57.0	1710	2 474,40	5906726703445
TuffTec 30/2120 400V	70.0	2120	2 808,00	5906726703384
TuffTec 30/2760 400V	92.0	2760	3 607,20	5906726703452
TuffTec 30/3350 400V	110.0	3350	4 488,00	5906726703391
TuffTec 30/3660 400V	122.0	3660	4 878,00	5906726703544
TuffTec 30/4360 400V	145.0	4360	5 569,20	5906726703407
TuffTec 30/4700 400V	157.0	4700	5 709,60	5906726703551
TuffTec 30/5230 400V	175.0	5230	5 991,60	5906726703414
TuffTec 30/5760 400V	192.0	5760	7 209,60	5906726703421
TuffTec 30/6800 400V	226.0	6800	7 826,40	5906726703438



ELEKTRA VCDR Heating Cables

Twin-conductor. Single-side power supply. UV-resistant.



type	length [m]	power [W]	price [SEK]	EAN
20 W/m				
VCDR 20/190	9.5	190	465,60	5908310931838
VCDR 20/235	12.0	235	618,00	5908310931708
VCDR 20/330	16.5	330	646,80	5908310931845
VCDR 20/380	19.0	380	669,60	5908310931715
VCDR 20/520	26.0	520	838,80	5908310931852
VCDR 20/600	29.0	600	858,00	5908310931722
VCDR 20/800	40.0	800	1 068,00	5908310931739
VCDR 20/1000	50.0	1000	1 143,60	5908310931746
VCDR 20/1140	57.0	1140	1 324,80	5908310931869
VCDR 20/1300	65.0	1300	1 528,80	5908310931753
VCDR 20/1560	78.0	1560	1 813,20	5908310931760
VCDR 20/1720	86.0	1720	1 902,00	5908310931777
VCDR 20/2050	102.0	2050	2 088,00	5908310931784
VCDR 20/2360	118.0	2360	2 365,20	5908310931791
VCDR 20/2710	135.0	2710	2 685,60	5908310931807
VCDR 20/3000	150.0	3000	3 061,20	5908310931814
VCDR 20/3450	175.0	3450	3 433,20	5908310931821

ELEKTRA FreezeTec® Heating Cables

Heating system with integrated thermostat.



type	length [m]	power [W]	price [SEK]	EAN
FreezeTec® 12/2	2	24	510,00	5908310930206
FreezeTec® 12/3	3	36	537,60	5908310930213
FreezeTec® 12/5	5	60	589,20	5908310930220
FreezeTec® 12/7	7	84	642,00	5908310930237
FreezeTec® 12/10	10	120	721,20	5908310930244
FreezeTec® 12/15	15	180	849,60	5908310930251
FreezeTec® 12/21	21	252	1 004,40	5908310930268
FreezeTec® 12/30	30	360	1 244,40	5908310930275
FreezeTec® 12/42	42	504	1 550,40	5908310930282

ELEKTRA BET Heating Cables

Twin-conductor. Single-side power supply.

For concrete curing only!



type	length [m]	power [W]	price [SEK]	EAN
BET 32/105	3.3	105	337,20	5906726704794
BET 40/540	13.5	540	414,00	5906726704800
BET 40/1360	34.0	1360	607,20	5906726704817
BET 40/3320	83.0	3320	1 059,60	5906726704824

ELEKTRA SelfTec® Heating Cables

Selfregulating Heating System.



type	description	price [SEK]	EAN
------	-------------	-------------	-----

SelfTec®PRO

SelfTec®PRO 10	10W/m @ +10°C	85,20	-
SelfTec®PRO 20	20W/m @ +10°C	85,20	-
SelfTec®PRO 33	33W/m @ +10°C	99,60	-
SelfTec®PRO TC 30	30W/m @ +10°C	169,20	-
EC-PRO	joint set	81,96	5906726700178
S-TWIN-PRO	twin splice connection	103,20	5906726705593
KF 0404-PRO	junction box incl. connection terminal for 3 heating cables and M25 cold lead gland	315,60	4012591121787
ECM25-PRO	junction box joint set incl. M25 gland	94,08	5906726708150
EK-PRO	insulation entry kit for SelfTec® cables	126,60	5906726700376
BT-PRO	mounting bracket for the UTR 60-PRO controller	235,20	5906726700369
BKF-PRO	mounting bracket for the KF 0404-PRO installation box	206,40	5906726700352
CL-PRO	caution label	13,20	5906726700383

SelfTec®DW

SelfTec®DW 10	10W/m @ +10°C, certified for drinking water applications	75,60	-
SelfTec®DW F 10	10W/m @ +10°C, certified for drinking water applications	96,00	-
SelfTec®DW F 16	16W/m @ +10°C, certified for drinking water applications	96,00	-
H-LT	lead-through 1/2", 3/4", 1" set	626,40	5906726700161
EC-PRO	joint set	81,96	5906726700178
S-TWIN-PRO	twin splice connection	103,20	5906726705593

SelfTec®

SelfTec 10	10W/m @ +10°C	75,60	-
SelfTec 16	16W/m @ +10°C	75,60	-
EC-PRO	joint set	81,96	5906726700178
S-TWIN-PRO	twin splice connection	103,20	5906726705593

* max 330m per spool

** max 350m per spool



ELEKTRA SelfTec® Heating Cables

Selfregulating Heating System.



type	length [m]	power (W)	price [SEK]	EAN
------	------------	-----------	-------------	-----

SelfTec®DW ready2heat

SelfTec®DW 10/1	1	10	327,60	5906726707252
SelfTec®DW 10/2	2	20	434,40	5906726707269
SelfTec®DW 10/4	4	40	622,80	5906726707276
SelfTec®DW 10/6	6	60	820,80	5906726707283
SelfTec®DW 10/8	8	80	1 018,80	5906726707290
SelfTec®DW 10/10	10	100	1 240,80	5906726707306
SelfTec®DW 10/12	12	120	1 434,00	5906726707313
SelfTec®DW 10/15	15	150	1 590,00	5906726707320
SelfTec®DW 10/20	20	200	2 260,80	5906726707337
SelfTec®DW 10/x	1 - max. 80	10 - 800	?	-



SelfTec®16 ready2heat

SelfTec®16/1	1	16	327,60	5908310935010
SelfTec®16/2	2	32	434,40	5908310935027
SelfTec®16/3	3	48	537,60	5908310935034
SelfTec®16/5	5	80	750,00	5908310935041
SelfTec®16/7	7	112	921,60	5908310935058
SelfTec®16/10	10	160	1 240,80	5908310935065
SelfTec®16/15	15	240	1 590,00	5908310935072
SelfTec®16/20	20	320	2 260,80	5908310935089
SelfTec®16/x	1 - max. 80	16 - 1280	?	-

ELEKTRA Installation Accessories

type	description	price [SEK]	EAN
TME10	Aluminium installation tape (10m)	170,52	5908310930411
TME15	Aluminium installation tape (15m)	255,60	5908310930428
TME25	Aluminium installation tape (25m)	384,84	5908310930435
TMS10	Steel installation tape (10m)	98,64	5908310930374
RT-L500-S-AL	Aluminium roof trough self-adhesive installation strip (0,5m)	57,60	5906726708167
GSW-2	Gutter spacing wire with clips (20m)	907,56	5908310930442
DSW-2	Downpipe spacing wire with clips (20m)	1 356,00	5908310930459
RT-IB-1-P	Plastic roof trough installation band (1m)	73,56	5908310930466
GH-2	Gutter holder (25pcs)	354,00	5908310930473
DSC-2	Downpipe spacing clip (25pcs)	103,56	5908310930480
RE-IH-1-ZNTI	ZnTi roof edge installation holder (25pcs)	288,00	5908310930497
RE-IH-1-CU	Cu roof edge installation holder (25pcs)	408,00	5908310930503
FCS-1-SS	Flexible cable support (2pcs)	154,80	5906726700185
DSW-SB-1	Downpipe spacing wire support bar (1pc)	67,20	5906726700192
PG-TAPE-5	Self-adhesive installation tape (5m)	6,96	5908310930381
PG-TAPE-10	Self-adhesive installation tape (10m)	12,36	5908310930398
PG-TAPE-20	Self-adhesive installation tape (20m)	23,52	5908310930404
AL-TAPE-10	Self-adhesive aluminium foil (10m)	33,84	5906726708129
AL-TAPE-45	Self-adhesive aluminium foil (45m)	149,16	5906726708136
Tape-PRO	Self-adhesive aluminium foil of increased mechanical durability (50m)	160,56	5906726708143
UH-IM	Installation monitor	118,80	5906726701502



Portable ELEKTRA Heating Mats

Single-side power supply.



type	dimensions [mm]	power [W]	price [SEK]	EAN
------	-----------------	-----------	-------------	-----

MMV 1000	3000 x 1000 x 20	1000	5 040,00	5906726705616
----------	------------------	------	----------	---------------



MMR 300	1180 x 760 x 10	300	3 180,00	5906726705623
---------	-----------------	-----	----------	---------------

Portable ELEKTRA Heating Sleeves

Single-side power supply.



type	dimensions [m]	power [W]	price [SEK]	EAN
------	----------------	-----------	-------------	-----

MMT 16/5	5	80	1 968,00	5906726707672
MMT 16/10	10	160	3 552,00	5906726707689
MMT 16/15	15	240	5 208,00	5906726707696
MMT 16/20	20	320	7 380,00	5906726707702
MMT 16/25	25	400	8 700,00	5906726707719

new!



ELEKTRA Towel Dryers

type	dimensions [m x m]	power [W]	colour	price [SEK]	EAN
------	-----------------------	--------------	--------	----------------	-----

Power lead with plug.



CX 700	527 x 697	130	White	1 819,20	5908310930510
CX 700r	527 x 697	130	RAL	*	5908310930534
CX 800	527 x 997	175	White	2 108,40	5908310930619
CX 800r	527 x 997	175	RAL	*	5908310930633
CX 900	527 x 1227	230	White	2 391,60	5908310930718
CX 900r	527 x 1227	230	RAL	*	5908310930732





Power lead without plug. Connection through the bracket.**



CX 700N	527 x 697	130	White	1 819,20	5908310937106
CX 700Nr	527 x 697	130	RAL	*	5908310937113
CX 800N	527 x 997	175	White	2 108,40	5908310937137
CX 800Nr	527 x 997	175	RAL	*	5908310937144
CX 900N	527 x 1227	230	White	2 391,60	5908310937168
CX 900Nr	527 x 1227	230	RAL	*	5908310937175

* price and availability on request,
minimum order quantity 5 pcs per type
** minimum order quantity 5 pcs per type

ELEKTRA Temperature Controllers

type	description	A	°C	sensor	price [SEK]	EAN
	MWD5 WiFi Program-mable, flush mounting	16	+5 ... +40	Air (built-in), floor (ETF-144/99T) or air (built-in) with floor limitation (ETF-144/99T)	1 896,00	5703502910192
	MCD5 1999 Program-mable, flush mounting	16	+5 ... +40	Air (built-in), floor (ETF-144/99T) or air (built-in) with floor limitation (ETF-144/99T)	1 344,00	5703502910208
	ELR30 WiFi Program-mable, flush mounting	16	+6 ... +90	Air (built-in), floor, air (built-in) with floor limitation	1 260,00	5906726708174 new!
	ELR20 Program-mable, flush mounting	16	+5 ... +90	Air (built-in), floor, air (built-in) with floor limitation	948,00	5906726705159








ELEKTRA Temperature Controllers

type	description	A	°C	sensor	price [SEK]	EAN
SMCG	DIN-rail mounting	2x16	-25 ... +50	Ground humidity and temperature (integrated, ETOG-56T, ETOK-T)	6 420,00	5906726708020
SMCR	DIN-rail mounting	2x16	-25 ... +50	Gutter humidity (ETOR-55) and temperature (ETF-744/99)	6 108,00	5906726708037
ETOG2	DIN-rail mounting	3x16	-20 ... +50	Ground humidity and temperature (integrated, ETOG-56T, ETOK-T)	6 012,00	5906726708044
ETOR2	DIN-rail mounting	3x16	-20 ... +50	Gutter humidity (ETOR-55) and temperature (ETF-744/99)	5 700,00	5906726708051
ETR2G	DIN-rail mounting	16	0 ... +10	Ground humidity and temperature (integrated, ETOG-56T, ETOK-T)	4 716,00	5906726708068
ETR2R	DIN-rail mounting	16	0 ... +10	Gutter humidity (ETOR-55) and temperature (ETF-744/99)	4 404,00	5906726708075
ETN4 1999	DIN-rail mounting		0 ... +35	Floor (ETF-144/99T)	1 116,00	5703502650432



ELEKTRA Temperature Controllers

type	description	A	°C	sensor	price [SEK]	EAN	
	ETV 1991	DIN-rail mounting	10	0 ... +40 with temp. setback	Floor (ETF-144/99)	864,00	5703502520964
	ETV 1999	DIN-rail mounting	10	0 ... +40 with temp. setback	Air (ETF-944/99)	900,00	5906726708082
	ETI 1544	DIN-rail mounting	10	-10 ... +50 with temp. differential	Floor (ETF-144/99)	1 068,00	5906726708099
	UTR 60	Surface mounting	16	0 ... +60	Pipe	1 471,20	4017254073854
	TDR 4022-PRO	DIN-rail mounting	2x8	-200 ... +800	Pipe	3 855,60	5906726708105



ELEKTRA Temperature Controllers



type	description	price [SEK]	EAN
Supplementary sensors & accessories			
ETF-144/99	Floor temperature sensor	300,00	5703866101069
ETF-144/99T	Ultra-thin floor temperature sensor	312,00	5703502690490
ETF-744/99	Air temperature sensor in hermetic cover	540,00	5703866101854
ETF-944/99	Indoor air temperature sensor	336,00	5703502500379
ETOG-56T/ETOK-T	Ground humidity detector with integrated temperature sensor, incl. ETOK-T mounting tube	2 736,00	5906726707450
ETOG-56T	Ground humidity detector with integrated temperature sensor,	2 496,00	5906726707429
ETOK-T	fits with ETOK-T mounting tube Mounting tube for ETOG-56T	492,00	5906726707436
ETOR-55	Gutter humidity detector	1 884,00	5906726707443
ELR20/ELR30 sensor	Floor temperature sensor	177,48	5906726708112





ELEKTRA

ul. K. Kamińskiego 4, 05-850 Ożarów Mazowiecki, Poland

phone +48 22 843 32 82

e-mail: office@elektra.eu elektra.eu

Edition 08/2023