

# TF036-FOG SENSOR-14W-IP66-WHITE-4000K-850°


BL12146503

**INDOOR** > Indoor Bulkhead

**OUTDOOR** > Outdoor Wall Light

**OUTDOOR** > Outdoor Bulkhead

Indoor or outdoor use, IP66, with HF detector. Ideal for communities, garages and stairwells



## Application domain

- Parkings lots and underground passages
- Circulations areas
- Stairs
- Outdoor Circulations



14 W

1310  
lm

IRC  
>80

IP66

4000K

F



FILE UPDATED ON 21/11/2022

## Electric data

Total power (W)	14
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz
Electric class	II
Dimmable	No

## Photometric data

Color temperatures	4000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG0
Luminous flux (lm)	1310lm (4000K)
ULOR	-



FILE UPDATED ON 21/11/2022



## Technical data

Diameter (mm)	300
Height (mm)	93.5
Recessed diameter (mm)	-
Weight (kg)	0.4
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	White
IK Code	IK10
Incandescent wire test	850°C
IP Code	IP66
Use temperature range	-20... +50°
Body material	PC
Diffuser material	PC
Sensor	Haute fréquence
Driver included	Yes

## Liefe time

L80 à 25°	50 000 h
-----------	----------

## Supplementary data

Warranty period	5 years
Light beam spread	110°
Tiltable	No
Connection type	Connecteur rapide avec repiquage




FILE UPDATED ON 21/11/2022



## Accessories

### Réglage usine / factory settings

Distance : 6 m  
 Temporisation : 90 sec.  
 Sensibilité : 10 lux



### Distance de détection max.

	1	2	3
6 m - 100 % / Up to 6m	ON	ON	ON
4 m - 75 % / Up to 4m	-	ON	ON
3 m - 50 % / Up to 3m	ON	-	ON
2 m - 25 % / Up to 2m	-	-	ON
1 m - 10 % / Up to 1m	-	-	-

### Temporisation

	4	5	6
5 sec.	ON	ON	ON
30 sec.	-	ON	ON
90 sec.	ON	-	ON
3 min.	-	-	ON
20 min.	ON	ON	-
30 min.	-	-	-

### Sensibilité à la lumière

	7	8	9
Nuit - 2 lux / Night	ON	ON	ON
Nuit - 10 lux / Night	-	ON	-
Piéces - 25 lux / Partlight	-	ON	-
Piéces - 50 lux / Partlight	ON	-	-
Hors-service / Disabled*	-	-	-

\* en détection que les mouvements, ne prendra pas en compte la luminosité

## Atmosphere



PRODUCED BY

## Other



## Other



FILE UPDATED ON 21/11/2022

