

## PROJECTOR

# TF085-FLOODLIGHT 100W-IP65-3000K-120°

BL101006502

### OUTDOOR > Outdoor Flood Light

High power led projector, tempered glass and aluminum body. Sosen brand power supply. Complies with regulations on light pollution High power led projector, tempered glass and aluminum body. Sosen brand power supply. Complies with regulations on light pollution



### Application domain

- Outdoor illumination
- Outdoor Parking
- Outdoor Circulations
- Outdoor lighting



100 W

12500  
lm

IRC  
>80

IP65

3000K

E



FILE UPDATED ON 01/02/2023

## Electric data

Total power (W)	100
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.95
Network frequencies	50Hz
Electric class	I
Dimmable	No

## Photometric data

Color temperatures	3000K
Light source type	-
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG1
Luminous flux (lm)	12500lm (3000K)
ULOR	-



FILE UPDATED ON 01/02/2023



## Technical data

Dimensions (mm)	44 x 300 x 210
Weight (kg)	3.76
Recessed depth under BA13 (mm)	-
Cable length	-
Product color	Black
IK Code	IK08
Incandescent wire test	650°C
IP Code	IP65
Use temperature range	-20... +50°
Body material	Aluminium
Diffuser material	Verre trempé
Driver included	Yes
Recoverable	Non concerné

## Liefe time

L80 à 25°	50 000 h
-----------	----------

## Supplementary data

Warranty period	5 years
Light beam spread	120°
Tiltable	No
Connection type	Fil à connecter
Linked products	<ul style="list-style-type: none"><li>TR08006501 - CONNECTOR IP65</li></ul>



FILE UPDATED ON 01/02/2023





FILE UPDATED ON 01/02/2023