

# TORNADO PRO ASY 100W-3000K-IP65 GRIS BL101006504

**OUTDOOR** > Street Lighting  
**OUTDOOR** > Outdoor Flood Light

Asymmetrical headlamp. Optimize the useful lighting surface!  
 Complies with the Order of 27/12/18 on light pollution applicable from January 2020!  
 Asymmetrical headlamp. Optimize the useful lighting surface! Complies with the Order of 27/12/18 on light pollution applicable from January 2020!



## Application domain

- Parkings lots and underground passages
- Garages
- Outdoor residential
- Outdoor Parking
- Outdoor Circulations
- Outdoor lighting



## Electric data

Total power (W)	100
Rated voltage (V)	230V
Distorsion harmonique	-
Power factor	>0.9
Network frequencies	50Hz
Electric class	I
Dimmable	No

## Photometric data

Color temperatures	3000K
Light source type	SMD
Including the light source	Yes
SDCM	SDCM>4
IRC	>80
Safety group (EN62778)	RG1
Luminous flux (lm)	12300lm (3000K)
ULOR	-

## Technical data

Dimensions (mm)	367 x 58 x 270
Weight (kg)	3.86
Recessed depth under BA13 (mm)	-
Cable length	100 cm
Product color	Gray RAL 7035
IK Code	IK06
Incandescent wire test	650°C
IP Code	IP65
Use temperature range	-25... +40°
Body material	Aluminium
Diffuser material	Verre trempé
Driver included	Yes


## Liefe time

L80 à 25°	50 000 h
-----------	----------


## Supplementary data

Warranty period	5 years
Light beam spread	120° X 65°
Tiltable	No
Connection type	Fil à connecter
Linked products	<ul style="list-style-type: none"><li>TR08006501 - CONNECTOR IP65</li></ul>

## Plan



## Photometric curves



## Other



## Other



## Other

